

# *ROSE*



**ANY QUESTIONS?**  
[rosebikes.de/support](https://rosebikes.de/support)








Rose Bikes GmbH  
Schersweide 4  
46395 Bocholt, Germany

# **B A C K R O A D**

## **CF FRAME DETAILS**

# BACKROAD

## CF FRAME DETAILS




POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame	color: terra	16233801
		color: lions mane	16233701
2	fork	color: terra	1623190101
		color: lions mane	1623200101
3	seatpost	XS - 345 mm	1622740101
		S - 405 mm	1622740102
		M - 420 mm	1622740103
		M/L - 460 mm	1622740104
		L - 490 mm	1622740105
		XL - 490 mm	1622740106
4	saddle clamp	for 7x7 mm rails	228419301
5	seatpost clamp cover		235276301
6	seatpost clamp		234997501

POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
7	down tube protector		235149401
8	chain suck plate		235276701
9	chainstay protector		235276801
10	seatstay bridge		235276901
11	UDH hanger	incl. fixing screw	229953201
12	plug headset cap screw		230788101
13	plug top tube		233899301
14	chain guide		234582001
15	K-Werk Rail		235025801
16	down tube storage cover	lever and 3 screws fitted	235149501
17	lever for downtube storage cover		235277301
18	down tube storage cover screw		235277501
	bottle cage adaptor	for frame size XS, S	235278201

# BACKROAD

## CF FRAME DETAILS




## HEADSET DETAILS

POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
20	countersunk head screw	M6x30 mm	231482301
21	topcap		1600300001
22	compression device carbon fork steerer	23.5 mm	234073701
23	usb spacer	10 mm, 800mm cable, micro-usb	235463601
24	1/2 Spacer	5 mm	1596390101
	1/2 Spacer	10 mm	1596390102
25	top cover	icr	235463701
26	compression ring	ICR, 1 1/8"/AC4252	234167801
27	upper headset sealing	AC4252	235308801
28	upper bearing	42x52x7 mm, 45°/45°, 2RS	235352001
29	sealing lip		235367001
30	lower bearing	40x52x7 mm, 45°/45°, R2	233792101
31	lower headset sealing	AC4052	235463801

# BACKROAD

## CF FRAME DETAILS



## FRAME INTERFACES

<b>BOTTOM BRACKET</b>	Shimano:T47, 85,5mm / Sram: DUB T47 85,5mm Road wide
<b>FRONT WHEEL AXLE</b>	100 x 12 mm, Art. No. 234477501
<b>REAR WHEEL AXLE</b>	142 x 12 mm, Art. No. 233676601
<b>FRONT BRAKE MOUNT</b>	160 mm Flatmount
<b>REAR BRAKE MOUNT</b>	160 mm Flatmount
<b>MAX Ø DISC</b>	180mm front / 160mm rear
<b>Ø SEATPOST</b>	D-shape
<b>MAX. TIRE SIZE</b>	53 mm (47mm with mudguards)
<b>MAX. CHAINRING SIZE</b>	1x 46T / 2x 48-31T
<b>FRONT DERAILLEUR MOUNT</b>	-
<b>BOTTLE CAGE</b>	yes, 4x frame and 2x fork

**MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 120 KG**

**INTENDED USE: DIN 17406 CATEGORY 2**

## FRAME GEOMETRY

		XS	S	M	M/L	L	XL
<b>SEATTUBE LENGTH [MM]</b>	<b>A</b>	462	481	500	511	531	556
<b>TOPTUBE LENGTH HORIZONTAL [MM]</b>	<b>B</b>	525	545	560	575	590	615
<b>HEAD TUBE ANGLE</b>	<b>C</b>	70.5	71	71.25	71.25	71.5	71.5
<b>SEAT TUBE ANGLE</b>	<b>D</b>	75.5	74.5	74.25	74	73.75	73.5
<b>WHEELBASE [MM]</b>	<b>E</b>	1018	1025	1035	1049	1064	1086
<b>FRONT CENTER [MM]</b>	<b>F</b>	606	612	623	636	646	668
<b>REAR CENTER [MM] (CHAINSTAY LENGTH)</b>	<b>G</b>	425	425	425	425	430	430
<b>HEADTUBE LENGTH [MM]</b>	<b>H</b>	102	122	137	157	167	182
<b>STACK [MM]</b>	<b>I</b>	545	565	581	600	611	624
<b>REACH [MM]</b>	<b>J</b>	384	388	396	403	412	430
<b>STACK TO REACH RATIO</b>		1.42	1.46	1.46	1.49	1.48	1.45
<b>BB DROP [MM]</b>	<b>K</b>	78	78	78	78	78	78
<b>STAND-OVER HEIGHT (100 MM BEFORE BB)</b>	<b>L</b>	772	792	809	823	837	856
<b>FORK LENGTH [MM]</b>	<b>M</b>	410	410	410	410	410	410
<b>FORK OFFSET [MM]</b>		48	48	48	48	48	48