


ROSE



ANY QUESTIONS?

rosebikes.de/support


ROSE Bikes GmbH
Schersweide 4
46395 Bocholt, Germany

X T R A W A T T

FRAME DETAILS
MODELYEAR 2025

X T R A W A T T

FRAME DETAILS COMFORT




POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame LowStep	color: slate	2352974
		color: sage	2352975
2	frame MidStep	color: slate	2352972
		color: sage	2352973
3	frame HighStep	color: slate	2352968
		color: sage	2352969
2	fork	SF24-NRX32-D-Coil-LOR-DS-15AH2-29 63mm/ L272mm	235170801
3	belt drive insert	3 piece belt drive insert / 2x M4 x 14 mm	
4	slider	QR / no derailleur hanger / 4x M6 x 16 mm	2306421
		QR / hanger left / 4x M6 x 16 mm	2339537
5	H/T rubber cable routing		231356801

POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
6	battery cover plug		
7	battery cover	max. load for the eyelets: 1.5 kg!	2267560
	cable clamp	4x clamp / 4x M3 x 8 mm	2273975
	cable routing foam	1x	
	charging port cover plug		2314750
	GREASE	Motorex Bike Grease 2000 100 g	49208600
	CARBON ASSEMBLY PASTE	for example DYNAMIC, Art. Nr. 25377201	

X T R A W A T T

FRAME DETAILS



FRAME INTERFACES

BOTTOM BRACKET	Bosch Gen3
FRONT WHEEL AXLE	15mm true axle 100 mm
REAR WHEEL AXLE	135 QR
FRONT BRAKE MOUNT	PM 180 mm
REAR BRAKE MOUNT	PM 160 mm
MAX Ø DISC	180 mm
Ø SEATPOST	31.6 mm
MAX. TIRE SIZE	XTRA WATT EVO PLUS: 700Cx50
MAX. CHAINRING SIZE	50T
FRONT DERAILLEUR MOUNT	no
BOTTLE CAGE	no

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 130 KG

BICYCLE WEIGHT: 28,1 KG +/- 2,5%

INTENDED USE: DIN 17406 CATEGORY 2

FRAME GEOMETRY

		19" HIGHSTEP	21" HIGHSTEP	23" HIGHSTEP	25" HIGHSTEP	17" MIDSTEP	19" MIDSTEP	21" MIDSTEP	23" MIDSTEP	17" LOWSTEP	19" LOWSTEP	21" LOWSTEP	23" LOWSTEP
SEATTUBE LENGTH [MM]	A	483	533	584	635	432	483	533	584	432	483	533	584
TOPTUBE LENGTH HORIZONTAL [MM]	B	590	600	612	622	580	590	600	612	600	610	615	622
HEADTUBE LENGTH [MM]	C	150	150	175	200	148	150	150	175	175	175	175	200
HEAD TUBE ANGLE	D	72.5°	70°	72.5°	70°	69°	72.5°	70°	70°	69°	69.5°	70°	70°
SEAT TUBE ANGLE	E	69°	72.5°	70°	72.5°	72.5°	69°	72.5°	72.5°	72.5°			
BB DROP [MM]	F	60				60				60			
REAR CENTER [MM] (CHAINSTAY LENGTH) [MM]	G	487				487				487			
WHEELBASE [MM]	H	1139	1138	1151	1162	1129	1139	1138	1151	1151	1155	1154	1162
STAND-OVER HEIGHT	M												